Chief Secretary's Office, Adelaide, October 30th, 1893.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

J. H. Gordon, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of September, 1888-93.

										0,						′		
Years	1888.	1889.	1890.	1891.	1892.	Average of Five					1	893.						Total for
*Population, Sept. 1st	304,733	308,565	311,558	317,703	326,793	Years.					337	7,321						1893.
Births	832	878	940	981	893	905	975								8,242			
Rate per cent	.273	.285	.302	.309	•273	_					• 2	89		,				
Deaths —							All Ages.	Under 1 year.	land under 5.	5 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners' Inquiries.	‡Uncerti- fied causes of Death.	
All causes	264	247	287	326	257	276	432	98	102	49	54	44	65	20	_	38	26	3,234
Rate per cent	.087	•080	.092	•103	.079	_	-128	_	_	_	_	_	_	_	_	_	_	
Diseases— I. Specific Febrile or Zymotic . II. Parasitic	27 2 1 44 37 125 13	14 2 3 53 29 114 17	28 	34 	19 4 1 52 26 125 13		117 1 1 64 38 179 15	23 1 1 1 1 12 45 2	66 - 1 1 32 2	21 - 9 - 16 2	4 - 20 - 25 5	1 - 22 - 17 3	2 — 10 12 38 1	 1 13 6 				
causes	15	15	14	14	17	_	17	13	-	1	-	1	2]		_	-	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also o the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of September, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and bove.
Manalar I.	16	24	V			D: 6.1	,	
Measles	1	64	V. Premature birth,	10		Diseases of locomotive sys-		0
Relapsing fever	_	_	Cremature pirth,	10	- 1	tem	-	3
Influenza	_	1	Cyanosis	2		Diseases of integumentary		
Whooping-cough	3	17	Congenital defects,	_	1 25	systemVII.	_	-
Diphtheria	_	6	Old age VI.	_	20			
Simple and ill-defined fever		_	1 = 1		5	(Accident.) Fracture and contusion		3
Enteric fever	_	3	Apoplexy Epilepsy		_	Gunshot wound	_	9
Simple cholera	_	_	Convulsions	14	4	Cut stob	_	
Diarrhœa, dysentery	2	1	Other diseases of brain and	11	7	Cut, stab		1
Remittent fever			nervous system	2	14	Poison		1
Venereal affections			Diseases of organs of special	"	11	Drowning		5
Erysipelas	1	1	sense	_	_	Suffocation	2	0
Pyæmia and septicæmia	1		Diseases of circulatory sys-			Otherwise		1
Puerperal fever	_	1	tem	1	40	(Homicide.)		1
Other zymotic diseases	_		Croup	_	3	Murder and manslaughter		1
II.			Bronchitis	10	13	Justifiable homicide		
Thrush	1	_	Pneumonia	10	22	(Suicide.)		
Worms and other parasitical			Pleurisy	_	2	Gunshot wound		
diseases	_	-	Other diseases of respiratory			Cut, stab	_	
diseases			system	1	2	Poison		_
Privation—want of breast milk	1	_	Dentition	4	2	Drowning	_	1
Alcoholism	_	_	Quinsy, sore throat	_		Hanging		_
IV.			Enteritis	2	1	Otherwise		
Rheumatic fever and rheuma-			Peritonitis	_	1	VIII.		
tism of heart	-	2	Diseases of liver	_	2	Dropsy	_	1
Rheumatism	_	1	Other diseases of digestive			Debility, atrophy, inanition	12	1
Gout	-	_	system	1	4	Mortification	-	_
Cancer, malignant disease	_	16	Diseases of lymphatic sys-			Tumor	-	-
Tabes mesenterica	-	1	tem and of ductless glands	_	2	Abscess	-	_
Tubercular meningitis	1	2	Diseases of urinary system	_	10	Hæmorrhage	_	-
Phthisis	_	34	Diseases of generative sys-			Sudden, cause unascertained		
Scrofula, tuberculosis	_	4	tem	_	_	Other ill-defined and not		
Other constitutional diseases	-	3	Accidents of childbirth	-	4	specified causes	1	2

Return of Births and Deaths registered in the City of Adelaide in the Month of September, 1888-93.

Years	1888.	1889.	1890.	1891.	1892.	Average of Five	1893.											Total for
Population, Jan. 1st	36,219	36,400	37,189	37,727	38,240	Years.					39,	073						1893.
Births	82	80	117	105	90	95					10	04						926
Rate per cent	-226	•220	•315	•278	•235		•266											
Deaths —					-		All Ages.	Under 1 year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied causes of death.	
All causes	58	58	53	66	59	59	95	12	20	12	17	12	16	6	_	3		748
Rate per cent	·160	•159	•143	·175	.154		•243			20-40					_		_	
Diseases— 1. Specific Febrile or Zymotie 11. Parasitic 11. Dietic 12. Constitutional 13. V. Developmental 14. Vi. Local 15. VII. Violence 16. VIII. Ill-defined and not specified causes	8 2 1 14 6 21 3	4 -3 14 6 23 3	6 -1 11 8 22 1	$ \begin{array}{c} 9 \\ -1 \\ 15 \\ 12 \\ 21 \\ 6 \end{array} $	3 3 1 18 4 25 3		21 ————————————————————————————————————	3 - - - 7	12 1 	3 - 5 - 4	1 - 7 - 8 1	1 - 7 - 3 1	1 - 6 2 7	1 4 1				

*Including inquests. +Not certified by qualified practitioners.

*Causes of Deaths registered in the Month of September, 1893.

)				1		1)
	Under	One Year and		Under	One Year and		Under One	and
	Year.	Above.		Year.	Above.		Year.	Above.
Ţ								1
Measles	3	17	Scrofula, tuberculosis		3	Accidents of childbirth	_	
Scarlet fever	_		Other constitutional diseases		3	Diseases of locomotive system	_	2
Relapsing fever						Diseases of integumentary		
Influenza	_		V.			system	_	
Whooping-cough		_	Premature birth	-				1
Diphtheria			Cyanosis		_	VII. (Accident.)		
Simple and ill-defined fever	-	_	Congenital defects	_		Fracture and contusion	-	-
Enteric fever	-	1	Old age	-	6	Gunshot wound	-	-
Simple cholera	- 1	_				Cut, stab	_	-
Diarrhœa, dysentery	-		VI.			Burn and scald	_	1
Remittent fever	-		Apoplexy	-	-	Poison		1
Venereal affections		-	Epilepsy	2	1	Drowning	_	
Erysipelas	_	_	Convulsions Other diseases of brain and	2	1	Suffocation	_	
Puerperal fever	_	- A			4			
Other zymotic diseases			nervous system Diseases of organs of special		4	(Homicide.)		
Other Zymone diseases			sense	_		Murder and manslaughter	-	1
II.			Diseases of circulatory system		11	(Suicide.)		
Thrush	_		Croup			Gunshot wound		-
Worms and other parasitical			Bronchitis	2	3	Cut, stab		-
diseases	_	-	Pneumonia	2	3	Poison	_	-
			Pleurisy	_	man marks	Drowning		_
III.			Other diseases of respiratory			Hanging	-	-
Privation—want of breast milk	-	_	system		1	Otherwise	-	-
Alcoholism	-	_	Dentition	-				
777			Quinsy, sore throat	_	_	VIII.		
IV.			Enteritis		_	Dropsy	-	-
Rheumatic fever and rheuma-			Peritonitis	_	_	Debility, atrophy, inanition	2	
tism of heart	1		Diseases of liver	-	1	Mortification		
Rheumatism		-	Other diseases of digestive	1	1	Tumor		_
Gout	Meanwhite Programmy	6	system	1	1	Abscess	_	_
Tabes mesenterica		0	Diseases of lymphatic sys-		1	Hæmorrhage	_	_
Tubercular meningitis		2	tem and of ductless glands	_	$\frac{1}{2}$	Sudden, cause unascertained Other ill-defined and not		
Phthisis		13	Diseases of urinary system Diseases of generative system	2-48	2	specified causes	-	_
T TITLING		10	Discuses of generalivesystem	9		opecined causes		

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of September. 1893.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	39,073	6,217	6,873	8,070	9,405	3,666	4,842
Persons to an acre	10.8	10.8	10.4	14.6	13.1	7.6	7.4
Births Male Female	104 55 49	14 6 8	13 9 4	33 16 17	31 17 14	7 3 4	6 4 2
Deaths Male Female	84 40 44	15 8 7	8 4 4	27 14 13	16 7 9	8 3 5	10 4 6
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	20 ————————————————————————————————————	2 3 3 6 1	1 2 2 2 2 1	7 8 	2 - 3 11 -	2 - 5 - 1	6 - 2 2
Percentage of Deaths to population of each Ward	•215	•241	·116	-335	170	-218	207

Causes of Deaths registered in the Month of September, 1893.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Yea and Above.
I.			Phthisis		11	Accidents of childbirth		
Measles	3	16	Scrofula, tuberculosis		2	Diseases of locomotive system		1
Scarlet fever	-	_	Other constitutional diseases.		3	Diseases of integumentary		1
Relapsing fever						system	_	_
Influenza	-		V.					
Whooping-cough	-	-	Premature birth					
Diphtheria	-	-	Cyanosis	-	_	VII.		
Simple and ill-defined fever	-	_	Congenital defects	_		(Accident.)		
Enteric fever	_	1	Old age	_	5	Fracture and contusion		
Simple cholera	-	1 -			1.	Gunshot wound	_	
Diarrhœa, dysentery	-	_	VI.			Cut, stab		
Remittent fever	-	_	Apoplexy			Burn and scald		_
Venereal affections	-	-	Epilepsy	-	- 1	Poison		
Erysipelas	_	_	Convulsions	2	1	Drowning	_	_
Pyæmia and septicæmia	-	_	Other diseases of brain and			Suffocation	_	_
Puerperal fever	-	_	nervous system		4	Otherwise	_	_
Other zymotic diseases	-	_	Diseases of organs of special			(Homicide.)		
TT			sense		_	Murder and manslaughter	_	-
II.			Diseases of circulatory system	-	10	(Suicide.)		
Thrush	-	_	Croup	_	_	Gunshot wound	_	_
Worms and other parasitical			Bronchitis	2	3	Cut, stab		_
diseases	_	-	Pneumonia	2	3	Poison	_	
III.			Pleurisy	_		Drowning	-	_
Privation — Want of breast			Other diseases of respiratory			Hanging	-	_
			system	_	1	Otherwise	-	_
milk	_	_	Dentition		_	171.77		
ACOHOHSIII	_		Quinsy, sore throat	_		VIII.		
IV.			Enteritis	_	-	Dropsy	_	
Rheumatic fever and rheu-			Peritonitis		1	Debility, atrophy, inanition	2	_
matism of heart	_		Diseases of liver	_	1	Mortification	_	-
Rheumatism	_		Other diseases of digestive	1		Tumor		_
out		_	system	1		Abscess		_
Cancer, malignant disease		5			1	Hæmorrhage		_
abes mesenterica	_		and of ductless glands		$\frac{1}{2}$	Sudden, cause unascertained.		
Subercular meningitis	_	2	Diseases of urinary system Diseases of generative system		2	Other ill-defined and not spe-		
doctodiai meningido		2	Diseases of generative system	-		cified causes	_	-

SEPTEMBER, 1893.

The highest temperature in the shade at the Adelaide Observatory during the month was 84°0 on the 22nd; and the lowest, 40°3, on the 19th. The mean temperature of the month was 57°3.

The greatest range of the thermometer in one day, 40°7, took place on the 22nd, viz., from a maximum of 84°0 to a minimum of 43°3; the lowest range, 5°1, on the 24th.

The mean height of the barometer was 29.814 inches; the maximum, 30.246 inches, occurred on the 17th; and the minimum, 29.324 inches, or the 30th C. Todd, Observer. Observatory, Adelaide, October 3rd, 1893.

Births and Deaths registered in the under-mentioned Corporate Towns in the Quarter ended September 30th, 1893.

			tered du Quarter.	ring	The Deaths registered in the Quarter include Deaths from—										
Corporate Towns.	Estimated Population		Deaths.								Diseases of		Diseases of		
	Jan. 1st, 1893	Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Respira-	Phthisis.	Circula- tory System.		
Adelaide	39,073	324	269	33	45		4	1	2		41	29	28		
Hindmarsh	8,564	91	44	14	9	-	1		1	1	9	1	1		
Thebarton	4,095	33	23	4	5	_	1	1	-	_	5	5	2		
Port Adelaide	5,241	35	27	4	6	_	_	3	-	1	5	_	2		
Semaphore	7,564	67	33	9	3	-	1	6		_	7 2	1	3		
Glenelg	3,814	31	7	$\frac{2}{2}$	-	_	_		_	_	2	2	_		
Brighton	910	6	5 37	8	11	1			_	_	5	2	5		
Unley	12,109	119 46	19	6	3	1					3	3	1		
St. Peters Kensington and Norwood	6,043 12,380	112	63	13	13					1	17	4	4		
Gawler	2,200	19	11	2	4	_	1					_	1		
Kapunda	2,053	27	12	1	1		1		1		1		_		
Burra	2,314	32	10	2	-	_		2	_	1	1	1	_		
Clare	992	10	3	1	_		1		_	_		_	1		
Jamestown	1,087	16	4	3		_	_		-	_	2	1	_		
Port Augusta	1,340	26	3	2		_		_	_	_	2		_		
Port Pirie	4,304	54	18	5	1	-	_	_	1	_	4	4	2		
Kadina	1,562	12	4	3	-	-	_	1	_		2	_	2		
Moonta	1,585	14 20	4 7	1	-	_	_	_	_	_	1	$\frac{-}{2}$	2		
Wallaroo	1,790 673	3	3	1					_		1	- 1	_		
Goolwa	857	5	3			_		_			2		_		
Strathalbyn	2,780	20	8	2				1			1	1	1		

GEO. H. AYLIFFE, Registrar-General.